

# 10620624 MEASURING TEMPERATURE in ELECTRICAL MACHINES USING FIBER OPTICS

Type	L#	Hits	Search Text	DBs	Time Stamp	Comments
IS&R	L2	1	("5172979").PN.	USPAT; US-PGPUB	7/23/04 15:47	
BRS	L5	1	US-20010026362-A1.DID.	USPAT; US-PGPUB		previously found
IS&R	L82	733	((374/152) or (374/161) or (374/131)).CCLS.	USPAT; US-PGPUB	7/23/04 16:51	
IS&R	L83	2118	((385/12) or (385/13) or (385/114) or (385/101)).CCLS.	USPAT; US-PGPUB	7/23/04 16:47	
IS&R	L84	1549	((318/471) or (388/934) or (310/68C) or (250/227.14)).CCLS.	USPAT; US-PGPUB	7/23/04 16:48	
BRS	L85	44	82 and 83	USPAT; US-PGPUB	7/23/04 16:48	
BRS	L86	44	82 and 84	USPAT; US-PGPUB	7/23/04 16:49	
BRS	L87	195	83 and 84	USPAT; US-PGPUB	7/23/04 16:49	
BRS	L89	64	83 and @pd>20040419	USPAT; US-PGPUB	7/23/04 16:57	see below
BRS	L90	34	84 and @pd>20040419	USPAT; US-PGPUB	7/23/04 16:52	see below
BRS	L88	7	82 and @pd>20040419	USPAT; US-PGPUB	7/23/04 16:55	browsed to update class 374
BRS	L91	9	87 and @pd>20040419	USPAT; US-PGPUB	7/23/04 17:02	browsed
BRS	L92	25	90 not 91	USPAT; US-PGPUB	7/23/04 17:08	browsed
BRS	L93	55	89 not 90 not 91 not 88	USPAT; US-PGPUB	7/23/04 17:08	browsed...
BRS	L94	16	((optic\$6 near3 fiber\$1) with ribbon with notch\$2 ) or ( (optic\$6 near3 fibre\$1) with ribbon with notch\$2 ) )	USPAT; US-PGPUB	7/23/04 18:00	browsed...
BRS	L95	44	((optic\$6 near3 ribbon\$1) with notch\$2 ) or ( (optic\$6 near3 tape\$1) with notch\$2 ) )	USPAT; US-PGPUB	7/23/04 17:45	browsed...
BRS	L96	28	95 not 94	USPAT; US-PGPUB	7/23/04 18:01	browsed...
BRS	L97	338	((optic\$6 near3 fiber\$1) with ribbon with groove\$1 ) or ( (optic\$6 near3 fibre\$1) with ribbon with groove\$1 ) ) or (((optic\$6 near3 fiber\$1) with ribbon with slot\$3 ) or ( (optic\$6 near3 fibre\$1) with ribbon with slot\$3 ) )	USPAT; US-PGPUB	7/23/04 18:01	
BRS	L98	337	97 not 5 not 94	USPAT; US-PGPUB	7/23/04 18:03	
BRS	L99	1	97 and ( 5 or 94 )	USPAT; US-PGPUB	7/23/04 18:02	na
BRS	L100	1	98 and ( 82 or 84)	USPAT; US-PGPUB	7/23/04 18:05	na
BRS	L101	63	98 and 83	USPAT; US-PGPUB	7/23/04 18:05	browsed

# 10620624 MEASURING TEMPERATURE in ELECTRICAL MACHINES USING FIBER OPTICS

Type	L#	Hits	Search Text	DBs	Time Stamp	Comments
IS&R	L8	734	((374/152) or (374/161) or (374/131)).CCLS.	USPAT; US-PGPUB	8/16/04 11:11	
IS&R	L9	2134	((385/12) or (385/13) or (385/114) or (385/101)).CCLS.	USPAT; US-PGPUB	8/16/04 11:11	
IS&R	L10	827	((318/471) or (388/934) or (361/25)).CCLS.	USPAT; US-PGPUB	8/16/04 11:11	
IS&R	L11	538	(250/227.14).CCLS.	USPAT; US-PGPUB	8/16/04 11:11	
BRS	L12	1	((374/152) or (374/161) or (374/131)).CCLS.) and @pd>20040723	USPAT; US-PGPUB	8/16/04 11:13	browsed for update...
BRS	L14	1	10 and @pd>20040723	USPAT; US-PGPUB	8/16/04 11:14	browsed for update...
BRS	L15	2	11 and @pd>20040723	USPAT; US-PGPUB	8/16/04 11:14	browsed for update...
BRS	L13	16	9 and @pd>20040723	USPAT; US-PGPUB	8/16/04 11:16	browsed for update...

Type	L#	Hits	Search Text	DBs	Time Stamp	Comments
IS&R	L2	2142	((385/12) or (385/13) or (385/114) or (385/101)).CCLS.	USPAT; US-PGPUB	8/24/04 17:35	
IS&R	L3	1555	((318/471) or (388/934) or (310/68C) or (250/227.14)).CCLS.	USPAT; US-PGPUB	8/24/04 17:30	
BRS	L1	1	((374/152) or (374/161) or (374/131)).CCLS.) and @pd>20040816	USPAT; US-PGPUB	8/24/04 17:31	updated
BRS	L6	8	2 and @pd>20040816	USPAT; US-PGPUB	8/24/04 17:32	updated
BRS	L5	3	3 and @pd>20040816	USPAT; US-PGPUB	8/24/04 17:34	updated
IS&R	L6	1329	(385/15).CCLS.	USPAT; US-PGPUB	8/24/04 17:36	
IS&R	L7	1419	(385/31).CCLS.	USPAT; US-PGPUB	8/24/04 17:37	
BRS	L8	510	7 and temperature	USPAT; US-PGPUB	8/24/04 17:37	
BRS	L9	558	6 and temperature	USPAT; US-PGPUB	8/24/04 17:40	
BRS	L12	94	(6 or 7) and ribbon	USPAT; US-PGPUB	8/24/04 17:40	
BRS	L11	147	(6 or 7) and notch\$3	USPAT; US-PGPUB	8/24/04 17:50	
BRS	L12	8	10 and 11	USPAT; US-PGPUB	8/24/04 17:40	browsed
BRS	L13	30	(6 or 7) and groove\$1 and ribbon not notch\$3	USPAT; US-PGPUB	8/24/04 17:51	browsed

# 10620624 MEASURING TEMPERATURE in ELECTRICAL MACHINES USING FIBER OPTIC

Type	L#	Hits	Search Text	DBs	Time Stamp	Comments
IS&R	L1	1329	(385/15).CCLS.	USPAT; US-PGPUB	8/25/04 10:41	
BRS	L2	510	((385/31).CCLS.) and temperature	USPAT; US-PGPUB	8/25/04 9:36	
IS&R	L3	1148	(385/12).CCLS.	USPAT; US-PGPUB	8/25/04 10:42	
IS&R	L4	14311	("374").CLAS.	USPAT; US-PGPUB	8/25/04 9:39	
BRS	L7	6	4 and (1 or 2)	USPAT; US-PGPUB	8/25/04 10:47	
BRS	L6	3	4 and 2	USPAT; US-PGPUB	8/25/04 9:39	browsed
BRS	L5	3	4 and 1	USPAT; US-PGPUB	8/25/04 9:50	
BRS	L8	58	3 and 1	USPAT; US-PGPUB	8/25/04 9:52	
BRS	L9	39	3 and 2	USPAT; US-PGPUB	8/25/04 9:51	
IS&R	L10	1419	(385/31).CCLS.	USPAT; US-PGPUB	8/25/04 9:49	
BRS	L11	0	4 and 10 not 1 not 2	USPAT; US-PGPUB	8/25/04 9:50	
BRS	L15	5	3 and 1 and 2	USPAT; US-PGPUB	8/25/04 9:52	browsed
BRS	L13	34	3 and 2 not 1	USPAT; US-PGPUB	8/25/04 9:54	browsed
BRS	L14	53	3 and 1 not 2	USPAT; US-PGPUB	8/25/04 10:05	browsed
BRS	L12	20	3 and 10 not 1 not 2	USPAT; US-PGPUB	8/25/04 10:34	browsed
BRS	L16	179356	ARMATURE OR ROTOR OR STATOR	USPAT; US-PGPUB	8/25/04 10:46	
IS&R	L17	340	(385/13).CCLS.	USPAT; US-PGPUB	8/25/04 10:42	
BRS	L19	16	17 and (1 or 10)	USPAT; US-PGPUB	8/25/04 11:20	browsed
BRS	L18	42	(3 or 17 or 1 or 10) and 16	USPAT; US-PGPUB	8/25/04 11:25	browsed
BRS	L20	15	17 and (1 or 10) not 18	USPAT; US-PGPUB	8/25/04 11:21	browsed
BRS	L21	1577	(3 or 17 or 1 or 10) and (clad\$4 or tape or ribbon or strip\$1) and (curv\$5 or bend\$4 or contour\$2 or shap\$3)	USPAT; US-PGPUB	8/25/04 11:27	
BRS	L22	588	21 and (slot\$3 or groove\$1 or notch\$2)	USPAT; US-PGPUB	8/25/04 11:29	browsed all...